

Oracle

1Z0-900

Java EE 7 Application Developer

Questions And Answers PDF Format:

For More Information – Visit link below:

<https://www.certsgrade.com/>

Version = Product



Latest Version: 11.0

Question: 1

You need to develop a chat application, which allows the display of emoticons and images together with text messages.

How should you configure a WebSocket endpoints to receive both text and binary messages?

- A. Create two @onMessage methods in the same endpoint with appropriate parameter types.
- B. Define the @onMessage methods in your endpoint with Object as parameter and check the actual type in your code.
- C. You can achieve this only by creating separate WebSocket endpoints for each message type.
- D. Create two @onMessage methods, each with appropriate decoder attribute in the same endpoint.

Answer: D

Question: 2

Which two capabilities are provided by the Java Authentication and Authorization Services (JAAS) API? (Choose two.)

- A. protecting data from unauthorized viewing by using encryption
- B. verifying that a user is allowed to perform an action
- C. ensuring that data is not modified in transit
- D. verifying identity claims from users

Answer: B,C

Question: 3

Which interface should you implement if you want to be alerted to the lifecycle events surrounding your task being executed by a ManagedExecutorService?

- A. the Runnable Interface
- B. the ManagedExecutorTask interface
- C. the TaskEventListener interface
- D. the ManagedTaskListener interface

Answer: D

Question: 4

Given the code fragment:

```
@Path ("Employees")
public class EmployeesResource {
    @Inject private EmployeeManager em;
    @Get
    @Path("{id:[A-Z] [0-9]+}")
    public Employee getEmployee(@PathParam("id") String id) {
        return em.findEmployee(id);
    }
}
```

Which URL triggers the invocation of the getEmployee () method?

- A. <base url>/Employees/89724
- B. <base url>/Employees/J6349
- C. <base url>/Employees/id:a7280
- D. <base url>/Employees/id/J6349

Answer: B

Question: 5

What is true about Message-Driven Beans (MDBs)?

- A. MDBs can participate in transactions.
- B. MDBs are invoked synchronously.
- C. Each MDBs can process messages only from a single client.
- D. MDBs retain data caches between client calls.

Answer: A

For More Information – **Visit link below:**
<http://www.certsgrade.com/>

PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

Discount Coupon Code: **CERTSGRADE10**

