CWNP

CWT-100
Certified Wireless Technician

Questions And Answers PDF Format:

For More Information – Visit link below:
https://www.certsgrade.com/

Version = **Product**

Question: 1

In what way are 802.11 channels defined?

A. By a high frequency and channel width
B. By channel width alone
C. By a center frequency and channel width
D. By a low frequency and channel width

Answer: B

Question: 2

What can occur when two copies of a signal wave arrive at the receiver at the same time, but 180 degrees out of phase which each other?

A. Increased signal amplitude
B. Bits may be added to the total count
C. Increased signal strength
D. Signal nulling or cancellation

Answer: D

Question: 3

What is defined as the bending of an RF wave as it passes through a medium?
Select one:

A. Reflection
B. Refraction
C. Absorption
D. Scattering

Answer: B

Question: 4

What metric is most commonly used at the receiver to report the signal strength?
Select one:

A. dBm
B. Watt
C. Milliwatt
D. Nanowatt

<div style="border: 1px solid black; text-align: center;">

Answer: A

</div>

Question: 5

At what point is RF power typically stipulated in milliwatts?

A. At the transmitter
B. Fifty feet from the transmitter
C. At the receiver
D. One hundred feet from the transmitter

<div style="border: 1px solid black; text-align: center;">

Answer: A

</div>

Question: 6

How many channels are available in the 2.4 GHz frequency band in all regulatory domains?
Select one:

A. 3
B. 14
C. 13
D. 11

<div style="border: 1px solid black; text-align: center;">

Answer: B

</div>

Question: 7

How many non-overlapping channels are available in regulatory domains in the 2.4 GHz frequency band?
Select one:

A. 14
B. 1
C. 3
D. 11

PRODUCT FEATURES

- **100% Money Back Guarantee**
- **90 Days Free updates**
- **Special Discounts on Bulk Orders**
- **Guaranteed Success**
- **50,000 Satisfied Customers**
- **100% Secure Shopping**
- **Privacy Policy**
- **Refund Policy**

20% Discount Coupon Code: 20off2019