

Huawei

H31-124_V2.0
HCIP-Carrier IP V2.0

Questions And Answers PDF Format:

For More Information – Visit link below:

<https://www.certsgrade.com/>

Version = Product



Question: 1

The Ethernet switch working in store and forward mode drops the frame with length smaller than 64 bytes.

- A. True
- B. False

Answer: A

Question: 2

VXLAN uses MAC in UDP encapsulation to extend Layer 2 networks and encapsulates Ethernet packets on IP packets. When packets are transmitted on a routed network, the intermediate routing device does not need to learn inner MAC addresses.

- A. True
- B. False

Answer: B

Question: 3

Which of the following statements about LAN switch is correct?

- A. LAN switch is transparent for user, it does not modify the data field of the forwarded frame.
- B. LAN switch can still operate normally even when loop exists.
- C. LAN switch can detect loop according to the contents of the packet.
- D. LAN switch can modify the data field of the forwarded frame when necessary.

Answer: C

Question: 4

Which of the following statements about layer 2 LAN switch are incorrect?

- A. LAN switch will modify the data link layer header of the packet and then forward it.
- B. LAN switch can learn Mac address automatically.
- C. LAN switch operates at data link layer.
- D. LAN switch will modify the network layer header of the packet and then forward it.

Answer: B

Question: 5

Is the following statement correct or incorrect? Because a bypass tunnel is manually created during TE FRR configuration, the constraint shortest path first (CSPF) does not need to be enabled.

- A. True
- B. False

Answer: B

For More Information – **Visit link below:**
<http://www.certsgrade.com/>

PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

Discount Coupon Code: **CERTSGRADE10**

