

**IBM**

*P2090-050*

*IBM PureData System for Analytics Technical Mastery Test v1*

**Questions And Answers PDF Format:**

**For More Information – Visit link below:**

**<https://www.certsgrade.com/>**

*Version = Product*



### Question: 1

When are zonemaps initially created for a table?

- A. nzbackup
- B. nzreclaim
- C. CREATE TABLE
- D. ALTER TABLE ADD ZONEMAPS

**Answer: C**

### Question: 2

nzbackup/nzrestore with the -user option has been replaced with which option to allow multi-level security (MLS) information, such as categories, cohorts, and levels to be backed up/restored?

- A. -all
- B. -mls
- C. -users
- D. -globals

**Answer: D**

### Question: 3

Which of the following is a valid datatype definition?

- A. TEXT
- B. CLOB
- C. CHAR(64000)
- D. NUMERIC(1,38)

**Answer: C**

### Question: 4

When loading a local ASCII file into table via an external table, where can the SQL be submitted?

- A. From a User Defined Function.
- B. From a JDBC application networked to the system.
- C. From nzsql on an AIX machine networked to the system.
- D. From nzsql on Microsoft Windows networked to the system.

**Answer: B**

### Question: 5

When setting up a crontab entry, what must be done on a PureData System for Analytics server?

- A. Create an nzcron event.
- B. nzstop/nzstart the database.
- C. Stop and start the appliance.
- D. Add entry to active host and standby host.

**Answer: D**

### Question: 6

Why should you avoid using Boolean data types as a distribution key for a table ?

- A. Table will not join.
- B. Table will not broadcast.
- C. Table is likely to be skewed.
- D. Table is likely to be evenly spread across data slices.

**Answer: C**

### Question: 7

OLE-DB based applications requires which PureData System for Analytics software?

- A. Install the JDBC driver for windows.
- B. Install the ODBC driver for windows.
- C. Install the OLE-DB Driver for windows.
- D. Install the nzload bulk load for windows.

**Answer: C**

---

### Question: 8

How does the PureData System for Analytics utilize the distribution key to store records on disk?

- A. System assigns records to a FPGA based on their distribution key value.
- B. System assigns records to the host based on their distribution key value.
- C. System assigns records to a logical data slicebased on their distribution key value.
- D. System assigns records to a Netezza Database Accelerator based on their distribution key value.

**Answer: C**

### Question: 9

Where are the database log fileslocated?

- A. /var/log
- B. /usr/local
- C. /nz/kit/log
- D. The SYSTEM database

**Answer: C**

### Question: 10

When enabled, query history always collects information about login failures, session creation, session termination, and query history process startup. Which area does query history NOT collect data?

- A. Plans
- B. Disks
- C. Tables
- D. Queries

**Answer: B**

---

For More Information – **Visit link below:**  
<http://www.certsgrade.com/>

## PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

Discount Coupon Code: **CERTSGRADE10**

