Cisco

300-725
Securing the Web with Cisco Web Security Appliance (300-725 SWSA)

Questions And Answers PDF Format:

For More Information – Visit link below:
https://www.certsgrade.com/

$Version$ = Product

Question: 1

DRAG DROP
Drag and drop the Cisco WSA methods from the left onto the correct deployment modes on the right.

WPAD		Transparent Mode
WCCP		
PAC		
PBR		Explicit Mode

WPAD		Transparent Mode
WCCP		WCCP
PAC		PBR
PBR		Explicit Mode
		PAC
		WPAD

Explanation:
You could use an explicit setting (browser config/PAC/WPAD) or transparent (WCCP/PBR) to point to the first proxy and then the first proxy will route based on category to one of the two upstream proxies based on your policy configuration.
Reference:
https://community.cisco.com/t5/web-security/route-to-wsa-based-on-destination/td-p/2491179

Question: 2

What causes authentication failures on a Cisco WSA when LDAP is used for authentication?

A. when the passphrase contains only 5 characters
B. when the passphrase contains characters that are not 7-bit ASCI
C. when the passphrase contains one of following characters '@ # $ % ^'
D. when the passphrase contains 50 characters

Answer: B

Reference:
https://www.cisco.com/c/en/us/td/docs/security/wsa/wsa11-0/user_guide/b_WSA_UserGuide/
b_WSA_UserGuide_appendix_011001.html

Question: 3

Refer to the exhibit.

```
1278096903.150 97 172.xx.xx.xx TCP_MISS/200 8187 GET http://my.site.com/ -
DIRECT/my.site.com text/plain DEFAULT_CASE_11-AnalizeSuspectTraffic-Identity-OutboundMalwareScanningPolicy-
DataSecurity Policy-ExternalDLPPolicy-Routing Policy
<IW_comp,6.9,-,"-",-,-,-,-,"-",-,-,-,"-",-,-,"-","","-",-,-,IW_comp,-,"-","-",
"Unknown","Unknown","-","-",198.34,0,-,[Local],"-",37,"W32.CiscoTestVector",33,0,
"WSA-INFECTED-FILE.pdf","fd5ef49d4213e05f448f11ed9c98253d85829614fba368a421d14e64c426da5e"> -
```

Which statement about the transaction log is true?

A. The log does not have a date and time
B. The proxy had the content and did not contact other servers
C. The transaction used TCP destination port 8187
D. The AnalizeSuspectTraffic policy group was applied to the transaction

Answer: D

Question: 4

Which two features can be used with an upstream and downstream Cisco WSA web proxy to have the upstream WSA identify users by their client IP address? (Choose two.)

A. X-Forwarded-For
B. high availability
C. web cache
D. via
E. IP spoofing

Answer: AD

Reference:
https://www.cisco.com/c/en/us/td/docs/security/wsa/wsa11-0/user_guide/b_WSA_UserGuide/
b_WSA_UserGuide_chapter_0100.html

Question: 5

Which two configuration options are available on a Cisco WSA within a decryption policy? (Choose two.)

A. Pass Through
B. Warn
C. Decrypt
D. Allow
E. Block

<div style="border:1px solid black; display:inline-block; padding:8px;">

Answer: AC

</div>

Reference:
https://www.cisco.com/c/en/us/td/docs/security/wsa/wsa11-7/user_guide/
b_WSA_UserGuide_11_7/b_WSA_UserGuide_11_7_chapter_01011.html

PRODUCT FEATURES

- **100% Money Back Guarantee**
- **90 Days Free updates**
- **Special Discounts on Bulk Orders**
- **Guaranteed Success**
- **50,000 Satisfied Customers**
- **100% Secure Shopping**
- **Privacy Policy**
- **Refund Policy**

Discount Coupon Code: CERTSGRADE10