

ServiceNow

CIS-Discovery
Certified Implementation Specialist - Discovery

Questions And Answers PDF Format:

For More Information – Visit link below:

<https://www.certsgrade.com/>

Version = Product



Latest Version: 7.0

Question: 1

Operation	Merge Table ▼		
* First Table	\$name_details		
* Second Table	\$more_process_info		
* Target Table	\$cmdb_ci_web_server		
Merge Criteria	Condition ▼		
Meet	Any ▼	Following condition	
	\$process.executablePath	Contains ▼	"mongoose"
Unmatched Values	Remove ▼		

Based on this image, which of the following statements are true? (Choose three.)

- A. Attributes from two tables populate a table with the same name as a ServiceNow CMDB table.
- B. This operation is more than likely a part of a step on a pattern set to Application Pattern Type.
- C. If a value is unmatched, it is still merged into the Target Table.
- D. For this operation to run, there must be some data in the process.executablePath variable.
- E. This is a horizontal pattern of type "infrastructure."

Answer: BDE

Question: 2

Reconciliation Definitions	New	Search	for text	Search
1 to 3 of 3				
All		Data Source	Applies to	Attributes
<input type="checkbox"/>	Altiris	Windows Server [cmdb_ci_win_server]	name	true
<input type="checkbox"/>	OpenView	Windows Server [cmdb_ci_win_server]	name	true
<input type="checkbox"/>	ServiceNow	Windows Server [cmdb_ci_win_server]	name	true

Data Source Precedentes	New	Go to	Order	Search
1 to 3 of 3				
All		Applies to	Data Source	Order ▲
<input type="checkbox"/>	[cmdb_ci_win_server]	ServiceNow	100	true
<input type="checkbox"/>	[cmdb_ci_win_server]	OpenView	200	true
<input type="checkbox"/>	[cmdb_ci_win_server]	Altiris	300	true

Based on the following images, which choice best describes what occurs if Discovery sets the name attribute of a discovered Windows Server CI to 'Windows1' and then Altiris discovery runs detecting 'Windows2' for the name attribute on the same CI?

- A. The name of the CI stays 'Windows1'.
- B. The name of the CI changes to 'Windows2'.
- C. The name of the CI does not populate with either discovery.
- D. The CI is not discovered because Discovery is not listed in either image.

Answer: B

Question: 3

For the Parse Variable pattern operation, what is required to have two different parsing methods to populate variables?

- A. Two different Debug Mode sessions.
- B. A tabular and a scalar variable.
- C. Two different steps.
- D. Two different Define Parsing selections on the same step.

Answer: D

Reference: https://docs.servicenow.com/bundle/paris-it-operations-management/page/product/service-mapping/task/t_RegularExpParsStratPatDef.html

Question: 4

Which best describes Discovery schedule of type Configuration Item?

- A. Verifies Configuration Item data from the scanned IP ranges against the data in the CMDB.
- B. Creates only a list of discovered IPs in both IPv4 and IPv6 formats.
- C. Collects complete information from the scanned IP ranges and sends it to the CMDB.
- D. Directly populates records in the assets table.

Answer: D

Question: 5

When installing a MID Server on a Windows platform, which right must be associated when creating a Service Account?

- A. Local Admin
- B. Domain Admin
- C. MID Server User Role
- D. Log on as service

Answer: A

Reference: https://docs.servicenow.com/bundle/orlando-servicenow-platform/page/product/mid-server/task/t_InstallAMIDServerOnWindows.html

For More Information – **Visit link below:**
<http://www.certsgrade.com/>

PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

Discount Coupon Code: **CERTSGRADE10**

