

## *Certification Exams*

ACLS  
*American Academy of Cosmetic Dentistry*

**Questions And Answers PDF Format:**

**For More Information – Visit link below:  
<https://www.certsgrade.com/>**

*Version = Product*



---

## Latest Version: 6.0

### Question: 1

Which of the following rhythms is most commonly present in the first minute following a cardiac arrest in adults?

- A. ventricular tachycardia
- B. asystole
- C. bradycardia
- D. ventricular fibrillation

**Answer: D**

### Question: 2

Drugs useful in the treatment of cardiogenic pulmonary edema include

- A. furosemide
- B. verapamil
- C. morphine
- D. propranolol
- E. oxygen

**Answer: A, C, E**

### Question: 3

An 80-year-old patient presents with severe chest pain. Heart rate is 30 and blood pressure is 60/P mm Hg. The monitor shows sinus bradycardia. Which drug is indicated first?

- A. lidocaine 75 mg IV bolus
- B. isoproterenol infusion at 2-10 mcg/min
- C. atropine 0.5-1 mg IV
- D. morphine 2-5 mg IV

**Answer: C**

---

### Question: 4

Intubation with an endotracheal tube:

- A. allows adjunctive ventilatory equipment to be used effectively
- B. decreases the risk of aspiration
- C. is the first priority in ventricular fibrillation
- D. if performed improperly may result in only one lung being inflated

**Answer: A, B, D**

### Question: 5

Bag-valve-mask devices:

- A. may be used by untrained individuals
- B. with high flow and a reservoir deliver close to 100% oxygen
- C. are difficult for one person to use effectively
- D. usually provide greater tidal volume than mouth-to-mask ventilation

**Answer: B , C**

---

For More Information – **Visit link below:**  
**<http://www.certsgrade.com/>**

## PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

Discount Coupon Code: **CERTSGRADE10**

