

*Huawei*

*H19-371\_V1.0*  
*HCSA-Presales-Digital Power*

**Questions And Answers PDF Format:**

**For More Information – Visit link below:**

**<https://www.certsgrade.com/>**

*Version = Product*



---

# Latest Version: 6.0

## Question: 1

The fire-fighting measures that can be used in the Class A computer room include:

- A. Gas Fire Extinguishing System
- B. Water mist fire extinguishing system
- C. Automatic sprinkler system
- D. All of the above

**Answer: A**

## Question: 2

The water inlet gradient of the condensate pan of the fan coil unit should not be less than ?

- A. 0.01
- B. 0.02
- C. 0.05
- D. 0.1

**Answer: A**

## Question: 3

The UPS5000-E power module adopts the fan fault-tolerant design. When two of the fans are damaged, what percentage of the load can the power module still carry?

- A. 0.2
- B. 0.3
- C. 0.5
- D. 0.6

**Answer: B**

## Question: 4

What is the total IT load power of the FusionModule1000A V2R3 version 40-foot IT solution?

- 
- A. 52kW
  - B. 55kW
  - C. 70kW
  - D. 72kW

**Answer: A**

### Question: 5

Which of the following models can be equipped with an external high-capacity battery charger for fast recharging? ()

- A. UPS5000-A
- B. UPS5000-E
- C. UPS2000-A 6/10K Professional Labeling Machine
- D. UPS2000-G 6K long

**Answer: C**

---

For More Information – **Visit link below:**  
<http://www.certsgrade.com/>

## PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

Discount Coupon Code: **CERTSGRADE10**

