# Fortinet

*NSE6_FAZ-7.2*
*Fortinet NSE 6 - FortiAnalyzer 7.2 Administrator*

**Questions And Answers PDF Format:**

**For More Information – Visit link below:**
**https://www.certsgrade.com/**

*Version* = **Product**

# Latest Version: 6.0

## Question: 1

Refer to the exhibit.




The image displays "he configuration of a FortiAnalyzer the administrator wants to join to an existing HA cluster.
What can you conclude from the configuration displayed?

A. After joining to the cluster, this FortiAnalyzer will keep an updated log database.
B. This FortiAnalyzer will trigger a failover after losing communication with its peers for 10 seconds.
C. This FortiAnalyzer will join to the existing HA cluster as the primary.
D. This FortiAnalyzer is configured to receive logs in its port1.

**Answer: D**

Explanation:
The configuration displayed in the exhibit indicates that the FortiAnalyzer is set up with a cluster virtual IP address of 192.168.101.222 assigned to interface port1. This setup is typically used for the FortiAnalyzer to receive logs on that interface when operating in a High Availability (HA) configuration. The exhibit does not provide enough information to conclude whether this FortiAnalyzer will be the primary unit in the HA cluster or the duration for the failover trigger; it only confirms the interface configuration for log reception. Reference: Based on the FortiAnalyzer 7.4.1 Administration Guide, the

similar configurations for HA and log reception are discussed, which would be relevant for understanding the settings in FortiAnalyzer 7.2.

For More Information – Visit link below:

https://www.certsgrade.com/

# PRODUCT FEATURES

- 100% Money Back Guarantee
- 90 Days Free updates
- Special Discounts on Bulk Orders
- Guaranteed Success
- 50,000 Satisfied Customers
- 100% Secure Shopping
- Privacy Policy
- Refund Policy

**16 USD Discount Coupon Code: NB4XKTMZ**