

# *SAS Institute*

*A00-420*  
*SAS Viya Intermediate Programming*

**Questions And Answers PDF Format:**

**For More Information – Visit link below:**  
**<https://www.certsgrade.com/>**

*Version = Product*



---

# Latest Version: 6.0

## Question: 1

Which statement about the CASL language is true?

Response:

- A. All CAS-enabled procedures are converted to CASL behind the scenes to run in CAS.
- B. CASL runs actions on both the SAS Compute Server and in CAS.
- C. Actions in CASL are grouped into PROCs, and optional information is provided with parameters.
- D. CASL code is submitted to the CAS server using PROC CASUTIL.

**Answer:**

## Question: 2

Which programming language is primarily used in the DATA step for CAS programming?

Response:

- A. Python
- B. R
- C. Java
- D. SAS

**Answer:**

## Question: 3

Which procedure can run in CAS?

Response:

- A. PROC SQL
- B. PROC GCHART
- C. PROC SGRENDER
- D. PROC MEANS

**Answer:**

## Question: 4

---

What does CAS stand for in CAS language programming?  
Response:

- A. Centralized Analytical System
- B. Cloud Analytic Services
- C. Clustered Analytical Server
- D. Computerized Analytical Software

**Answer:**

### Question: 5

Assume all caslib names follow libref naming conventions. Which code assigns librefs of the same name to each caslib?  
Response:

- A. caslib \_all\_ assign;
- B. caslib assign \_all\_;
- C. caslib libref assign;
- D. caslib assign libref;

**Answer:**

### Question: 6

The dataPreprocess.impute action performs data matrix (variable) imputation. Which imputation methods can be used?  
Response:

- A. MIDRANGE, MODE, RANDOM, VALUE
- B. MIDRANGE, MODE, RANDOM, CUSTOM
- C. MODE, RANDOM, VALUE, CUSTOM
- D. MIDRANGE, RANDOM, VALUE, CUSTOM

**Answer:**

### Question: 7

Given the following SAS program?  
caslib \_all\_ assign;  
proc sgplot data=casuser.cars;

vbar Make;  
run;  
What will the program do?  
Response:

- A. Produce an error because the SGPLOT procedure cannot access the CAS table.
- B. Execute the SGPLOT procedure on the CAS server.
- C. Summarize the results in CAS and process the summarized results on the Compute Server.
- D. Transfer the data to the Compute Server and then execute the SGPLOT procedure.

**Answer:**

### Question: 8

Which PROC CASUTIL step suppresses error messages if the table is not found in-memory?

- A. 

```
proc casutil;  
    droptable casdata="class" incaslib="casuser" quiet;  
quit;
```
- B. 

```
proc casutil quiet;  
    droptable casdata="class" incaslib="casuser";  
quit;
```
- C. 

```
proc casutil;  
    droptable casdata="class" incaslib="casuser" force;  
quit;
```
- D. 

```
proc casutil force;  
    droptable casdata="class" incaslib="casuser";  
quit;
```

Response:

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:**

### Question: 9

When creating SAS graphs on extremely large CAS tables, the best practice is to:

Response:

- 
- A. Summarize the data in CAS and work with the output on the Compute Server.
  - B. Execute graph actions on the CAS tables.
  - C. Use the SGPLOT procedure on the CAS table.
  - D. Enable multi-threading on the CAS server.

**Answer:**

### **Question: 10**

You want to use the MEANS procedure to summarize data using the CAS server. Which statement is true?

Response:

- A. Statistics that are supported by PROC MEANS are also supported on the CAS server.
- B. You must specify a CAS engine libref with the input table name.
- C. You must sort the data before using BY-group processing on the CAS server.
- D. All PROC MEANS statements are supported for CAS processing.

**Answer: B**

---

For More Information – **Visit link below:**  
**<https://www.certsgrade.com/>**

## PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

**16 USD Discount Coupon Code: **NB4XKTMZ****

