CWNP

CWNA-109
CWNP Wireless Network Administrator (CWNA)

Questions And Answers PDF Format:

For More Information – Visit link below:
https://www.certsgrade.com/

Version = **Product**

Latest Version: 6.0

Question: 1

An 802.11n (HT) network can operate on which frequency bands?
(Choose all that apply.)
Response:

A. 902–928 MHz
B. 2.4–2.4835 GHz
C. 5.15–5.25 GHz
D. 5.47–5.725 GHz

Answer:

Question: 2

Which is the best tool for detecting an RF jamming denial-of-service attack?
(Choose all that apply.)
Response:

A. Time-domain analysis software
B. Layer 2 distributed WIPS
C. Spectrum analyzer
D. Layer 1 distributed WIPS
E. Oscilloscope

Answer:

Question: 3

What are some of the negative effects of layer 2 retransmissions?
(Choose all that apply.)
Response:

A. Decreased range
B. Excessive MAC sublayer overhead
C. Decreased latency
D. Increased latency
E. Jitter

Question: 4

A point source that radiates RF signal equally in all directions is known as what?
Response:

A. Omnidirectional signal generator
B. Omnidirectional antenna
C. Intentional radiator
D. Nondirectional transmitter
E. Isotropic radiator

Answer:

Question: 5

Which type of interference is caused by destructive multipath?
Response:

A. Intersymbol interference
B. All-band interference
C. Narrowband interference
D. Wideband interference
E. Physical interference

Answer:

Question: 6

Which of the following refers to the polar chart of an antenna as viewed from above the antenna? (Choose all that apply)
Response:

A. Horizontal view
B. Vertical view
C. H-plane
D. E-plane
E. Elevation chart
F. Azimuth chart

Question: 7

The ratio between the maximum peak voltage and minimum voltage on a line is known as what?
Response:

A. Signal flux
B. Return loss
C. VSWR
D. Signal incidents

Question: 8

What wireless security solutions are defined by Wi-Fi Protected Access?
(Choose all that apply.)
Response:
  Passphrase authentication

A. LEAP
B. TKIP/RC4
C. Dynamic WEP
D. CCMP/AES

Question: 9

The OSI model consists of how many layers?
Response:

A. Four
B. Six
C. Seven
D. Nine

Question: 10

In a Wi-Fi client configuration utility, what feature is most likely to be user configurable?
Response:

A. 802.1p to WMM mappings
B. SNMPv3 Users
C. WMM-PS Dozing Interval
D. RADIUS Server IP Address
E. EAP Authentication Type

Answer: E

PRODUCT FEATURES

- **100% Money Back Guarantee**
- **90 Days Free updates**
- **Special Discounts on Bulk Orders**
- **Guaranteed Success**
- **50,000 Satisfied Customers**
- **100% Secure Shopping**
- **Privacy Policy**
- **Refund Policy**

16 USD Discount Coupon Code: NB4XKTMZ