

# *Dell EMC*

*D-PDD-DY-23*

*Dell Technologies PowerProtect DD Deploy 2023*

**Questions And Answers PDF Format:**

**For More Information – Visit link below:**

**<https://www.certsgrade.com/>**

*Version = Product*



---

# Latest Version: 6.0

## Question: 1

An engineer is deploying a PowerProtect DD6900 system. The installation includes ES40, and DS60 expansion shelves on the same chain. What consideration should be made when configuring the hardware?

Response:

- A. The maximum number of ES40 shelves is four
- B. The maximum number of DS60 shelves is five
- C. The maximum number of ES40 shelves is six
- D. The maximum number of DS60 shelves is six

**Answer: A**

## Question: 2

In a backup environment with PowerProtect DD VTL, which process is no longer needed?

Response:

- A. Shipping the tapes
- B. Manage tape library
- C. FC SAN Zoning
- D. Manage Backup catalog

**Answer: A**

## Question: 3

An engineer is attempting to add an ES40 shelf to a PowerProtect DD9400. The system currently has one DS60 and four ES40 shelves on the same chain. The system does not recognize the additional shelf. Why has this occurred?

Response:

- A. The maximum number of shelves on the chain is exceeded
- B. An active tier license must be added for additional storage
- C. ES40 and DS60 shelves must be placed on separate chains
- D. The system capacity license is insufficient

**Answer: A**

---

### Question: 4

During a normal workday an administrator notices poor performance (<1MB/s) in combination with poor global compression rate (<1x). What metrics should be monitored to find the issue?

Response:

- A. Cleaning, NVRAM battery level, and link utilization
- B. Stream count, CPU utilization, and replication
- C. Stream count, disk reconstruction, and replication
- D. NVRAM battery level, link utilization, and disk reconstruction

**Answer: B**

### Question: 5

What is the maximum number of supported tape drives that can be configured using PowerProtect DD with at least 60 CPU cores?

Response:

- A. 526
- B. 512
- C. 1080
- D. Unlimited

**Answer: C**

### Question: 6

What is the maximum number of concurrently active virtual tape library instances on each PowerProtect DD appliance?

Response:

- A. 32
- B. 56
- C. 64
- D. 128

**Answer: C**

---

### Question: 7

Which types of replication are supported in a PowerProtect DD appliance?

Response:

- A. Collection, Directory, MTree, Pool, and Managed File
- B. Synchronous, Collection, MTree, Managed File, and Directory
- C. MTree, Collection, and Directory only
- D. Asynchronous, Collection, Directory, and MTree

**Answer: C**

### Question: 8

How many hot spare drives does the DS60 have?

Response:

- A. 1, 2, 3, or 4
- B. 2, 4, 6, or 8
- C. 3, 6, 9, or 12
- D. The system uses distributed sparring instead of hot spares

**Answer: A**

### Question: 9

An administrator notices that several disks on a shelf show as unknown. What should be done to resolve this issue?

Response:

- A. Enter the disk unfail command for the unknown disks
- B. Enter the storage add enclosure command
- C. Ensure the expansion shelf is cabled properly
- D. Cycle the power on the newly added expansion shelf

**Answer: A**

### Question: 10

---

Which backup applications create their own storage units when they are configured to use a PowerProtect DD appliance as a backup target?

Response:

- A. Dell EMC Avamar and Veritas Backup Exec
- B. Veritas Backup Exec and NetBackup
- C. Dell EMC NetWorker and Avamar
- D. Veritas NetBackup and Dell EMC NetWorker

<b>Answer: C</b>
------------------

---

For More Information – **Visit link below:**  
**<https://www.certsgrade.com/>**

## PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

**16 USD Discount Coupon Code: **NB4XKTMZ****

